

HONEYWELL
HANDHELD INFRARED REMOTE CONTROL
For Professional Weather Station TE923W

TS607
USER MANUAL

Table of Contents	
Introduction	3
Installation	3
Buttons and Controls	4
Troubleshooting	5
Precautions	5
Specifications	6
Standard Warranty Information	6

Introduction

Thank you for selecting the Honeywell handheld remote control TS607. This product is a part of the Professional Weather Station TE923W and programs and controls different weather modes via infrared light. It works only with TE923W main unit display, model number TE923WD.

Note: In order for handheld remote to operate, you must own a main display unit (TE923WD) of the Professional Weather Station TE923W.


In this package you will find:

One Infrared Remote Control (TS607)

One User Manual

Diagram

Important: The AC/DC adaptor connection to the main display unit is required for a handheld remote control functions. If the main unit operates solely on the battery power, the handheld remote control functions will be disabled.





Buttons and Controls

A. UP	Selects the next available mode anti-clockwise Increases parameters
B. DOWN	Selects the next available mode clockwise Decreases parameters
C. SET	Rotates display for current mode If depressed and hold, enters into the programming mode or changes parameter's units Confirms set parameters
D. MEMORY	Allows displaying the moon phase, UV, temperature, humidity, rainfall and wind memory records
E. HISTORY	Allows displaying the sea-level pressure history
F ALARM/CHART	Allows displaying the time alarms and alerts for the temperature, rainfall and wind. If depressed and hold, allows entering into the alarm/alert programming mode When depressed and hold in pressure and forecast mode, allows viewing of the different bar charts
G. CHANNEL	Changes the temperature and humidity channel Enables the temperature and humidity channel auto-scan mode
H. LIGHT/SNOOZE	Enables a backlight for 5 seconds Snoozes the alarms
I.  Change Bar-chart Display	Changes bar-chart display to the history for Sea-level pressure, channel 1 temperature or channel 1 relative humidity

 Temperature & Humidity	Recalls the Temperature and Humidity Mode
 Wind mode	Recalls the Wind Mode
 UV mode	Recalls the UV Mode
 Pressure and Weather Forecast	Recalls the Pressure and Weather Forecast Mode
 Rain mode	Recalls the Rain Mode
 Sunrise/Sunset mode	Recalls the Sunrise/Sunset Mode
 Clock and Alarm mode	Recalls the Clock and Alarm Mode
 Change Bar-chart Display	Changes bar-chart display to the history for Sea-level pressure, channel 1 temperature or channel 1 relative humidity

Troubleshooting

Q: “The display does not respond to the handheld remote”

A: Please make sure AC/DC adapter is connected to the main unit’s display

Precautions

This product is engineered to give you years of satisfactory service if handled carefully.

Here are a few precautions:

- Do not immerse the unit in water.
- Do not clean the unit with abrasive or corrosive materials. They may scratch the plastic parts and corrode the electronic circuits.
- Do not subject the product to excessive force, shock, dust, temperature, or

humidity, which may result in malfunctions, shorter lifespan, damaged batteries, and damaged parts.

- Do not tamper with the product's internal components. Doing so will invalidate the warranty and may cause damage. The product contains no user-serviceable parts.
- Use only fresh batteries. Do not mix new and old batteries.
- Read the user's manual thoroughly before operating the product.

Specifications

Power: 2 x UM-4 or AAA 1.5V batteries

Weight (without batteries): 3.18oz (90g)

Dimensions: 1.61(L) x 5.94(H) x 0.86(D) inch / 40(L) x 150(H) x 22(D) mm

Standard Warranty Information

This product is warranted from manufacturing defects for one year from the date of retail purchase. It does not cover damages or wear resulting from accident, misuse, abuse, commercial use, or unauthorized adjustment and repair.

Note that online product registration is required to ensure valid warranty protection.

To register your product, go to our Company website at:

www.honeywellweatherstations.com. Click Online Product Registration under the Customer Service menu.

Should you require assistance with this product and its operation, please contact our Customer Service Hotline 1(866) 443 3543.

Please direct all returns to the place of the original purchase. Should this not be possible, contact Hideki Customer Service Hotline for assistance and to obtain a Return Merchandise Authorization (RMA). Returns without a return authorization will be refused. Please retain your original receipt as you may be asked to provide a copy for proof of purchase.

Hideki Electronics, Inc. reserves the right to repair or replace the product at our option.

Copyright (2006) Hideki Electronics Inc. All Rights Reserved. The Honeywell

Trademark is used under license from Honeywell Intellectual Properties Inc.

Honeywell International Inc. makes no representations or warranties with respect to this product.

All user manual contents and information are subject to change.

M1H607001-0506